

Hazard Identification	Aspiration: If product is swallowed and the person vomits and the vomited liquid aspirated into lungs may cause bronchopneumonia.		
FlammabilityNon-flammable (Flash Point 72°C)Vapour Density		Vapour Density	4.9@80C (Air=1)
WEL	LTExp. (8 hours)	1200 mg/m <sup>3</sup>	

	Fire Fighting	Precaution
Extinguishing Media	Soil; Sand. CO <sup>2</sup> ;	Do Not use water jet as tends to spread the fire.
Unusual Fire Hazard	May produce dense black smoke.	Vapours are heavier than air and may travel along the ground to nearby sources of ignition.
Specific Hazard	Avoid breathing the smoke.	Burning product will liberate carbon dioxide (CO <sup>2</sup> ) and possibly carbon monoxide (CO).

	First Aid	Medical action
Inhalation	Supply fresh air	In case of complaint consult a doctor
Ingestion	Rinse mouth; drink water or milk; DO NOT induce vomiting;	If vomiting occurs keep head low; get immediate medical attention.
Skin	Remove wet or soaked clothing or shoes.	Wash the skin with soap and water.
Eyes	Splashes may cause redness. Flush eyes with plenty of water.	Continue to rinse for up to 15 minutes. If irritation occurs seek medical attention.

Exposure	Personal Protection	Precaution
Ventilation	Natural ventilation will suffice in most instances.	Do not inhale mists or aerosols
Respiration	None required in normal use.	Do not heat or spray.
Eye	None required in normal use.	Safety glasses if splashing probable.
Skin	None required in normal use.	Nitrile gloves for 'wet-work' or sensitive individual.
Hygiene	Keep away from foodstuffs and beverages	No water bottles in area

Spillage	Action	Precaution
50 ml to 1 Litre	Contain and absorb with towel, dry sand or soil but not sawdust.	Ventilate area. Do not allow to enter sewers or water courses.
5 Litre to 25 Litre	Dike with dry sand or soil. Recover usable content.	Ventilate area. Do not allow to enter sewers or water courses.

Handling and Storage	Do not use near sources of ignition	Store in Original container in cool place.
Ecology	Biodegradable	Liquid will evaporate readily.
Disposal	Original liquid according to local regulations	Used or contaminated product: according to the contaminate.
Transport	Road; Sea; Air;	Can travel; depending on Carrier.

Physical and Chemical properties				
Boiling Point 190-280°C Viscosity 1.97 mPas				
pH value	6.8 ±	Solubility in Water	Insoluble	
Appearance	Clear Liquid	Odour	Hydrocarbon	
VOC	Low VOC	Colour	Colourless	

Health Effects via route of entry			
Ingestion	Non-toxic. If ingested Aspiration hazard.	Skin	Non-irritant. Can cause skin dryness.
Inhalation	Not relevant at room temperatures.	Eye	Non-irritant.
Mutagenicity	This substance has no evidence of mutagenic properties.	Reproductive	This substance has no evidence of toxicity to reproduction or the unborn.

Classification and labelling		
May be harmful if swallowed and enters airways. Repeated exposure may cause skin dryness and cracking.		Warning
If swallowed Do Not induce vomiting. Get immediate medical attention. Wash hands throughly after handling. Keep out of reach of children.		
Contains Hydrocarbons and Citrus Oils		

<b>Regulatory Information</b>	
CHIP; CHIPS; CLSDS; RRHSSWA; WEL; EULR; REACH	Pertaining to Substance

Legal Disclaimer. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information contained in this document is furnished without warranty, guarantee or representation of any kind to its accuracy, reliability or completeness. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. J and T Blackman Ltd t/a Zest-it shall not be held liable for any damage resulting from handling or from contact with the above product.

J and T Blackman Ltd t/a Zest-it, Swannington Road, Broughton Astley. LE9 6TU. Tel: 01162341001; Email: <u>msds@zest-it.com</u> Website: <u>www.zest-it.com</u> Trade site: <u>www.zest-it.biz</u> Wax site: <u>www.artywax.co.uk</u>